

PRESCRIPTION TREATMENT[®] brand
AVERT[®]

Dry Flowable Cockroach Bait Formula 1

- Crack & Crevice[®] Bait
- Kills Cockroaches
- Contains approximately 200 bait placements

Not for Use in USDA Inspected Meat and Poultry Plants

ACTIVE INGREDIENTS:

Abamectin* B1:	0.050%
Related Compounds:	0.004%

OTHER INGREDIENTS:	99.946%
---------------------------------	---------

EPA Reg. No. 499-294 EPA Est. No. 499-MO-1
KEEP OUT OF REACH OF CHILDREN
CAUTION

See next page for additional precautionary statements.

KILLS: Cockroaches (including carbamate, organo-phosphate and organochlorine resistant strains).

FOR USE IN: Garages, Homes, and the non-food/feed areas of Hospitals and Nursing Homes (non-occupied patient areas), Hotels, Motels, Transportation Equip-ment (Buses, Boats, Ships, Trains, Planes[†]), Utilities, Warehouses, and other commercial and industrial buildings.

[†] Do not use in aircraft cabins.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

AVERT[®] Dry Flowable Cockroach Bait is intended for application with the supplied hand duster to hiding and runway areas and those places where pests are found. Apply insecticide directly into cracks and crevices. Apply lightly and uniformly to infested areas.

Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around window and door frames; and in attics and crawl spaces. The amount to be applied will vary with the site. Concentrate treatment at insect activity sites. For light infestations, a minimum of 4 - 6 bait points is recommended per 100 sq. feet of treatment area. For heavy infestations, a minimum of 12 - 24 bait points is recommended per 100 sq. feet of treatment area. Repeat treatment as necessary to maintain adequate control.

Do not use in the food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed. (Serving areas are considered areas where prepared foods are served, such as dining rooms, but exclude areas where foods may

be produced or held.) In the home, all food processing surfaces and utensils must be covered or surfaces washed following treatment. Cover exposed food/feed or remove from premises. Do not use in aircraft cabins.

Examples of non-food areas in food/feed handling establishments are garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, garages, mop closets, and storage (after canning and bottling).

PRECAUTIONS:

- Do not use on or contaminate fruit, vegetables or other food or feed crops.
- Do not apply to humans, animals, clothing or bedding.
- Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

COCKROACHES (including carbamate, organo-phosphate and organochlorine resistant strains): Apply thoroughly to all areas where these pests crawl and hide, especially in cracks



WHITMIRE MICRO-GEN
 RESEARCH LABORATORIES, INC.

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.



AVERT Dry Flowable Cockroach Bait

and crevices and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under cabinets, stoves, behind refrigerators and in attics and crawl spaces.

AIRCRAFT CARGO AREAS: May only be used in cargo areas of aircraft; do not use in aircraft cabins. Apply baits in suspected and infested cockroach areas. Place a bait placement in areas between elements of construction. Use 12 - 24 bait placements per 100 sq. feet.

OUTDOOR USE: Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide, such as tree holes and cracks in fences.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a tightly closed container in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not re-use empty container. Wrap container and put in trash.

IMPORTANT NOTICE

Do not dispense this product with power dusters in confined areas (i.e. attics, hot water heater closets, furnace rooms, etc.) in the presence of open flames, such as pilot lights.

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if indicated. Seek medical attention.

IF ON SKIN: Wash with soap and warm water. Seek medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Seek medical attention if irritation persists.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes or clothing. If contact occurs, wash skin with soap and warm water, or eyes with clean water.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

Do not apply where children (or domestic animals) are likely to come in frequent contact with treated areas. Any powder visible after application is complete should be brushed into cracks or crevices or removed. No generalized dusting should be done in household areas accessible to children or pets.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment areas.

A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com

© 2000 Whitmire Micro-Gen Research Laboratories, Inc.

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.

Revised: 6/00